

Index to volume 4

Author index

A

Abel EA, Deneau DG, Farber EM, Price NM, Hoppe RT: Puva treatment of erythrodermic and plaque type mycosis fungoides, 423
Ackerman AB: Reply to Mascaro JM: Bowenoid papulosis, 608 (Correspondence)
—: Spitz nevus, 609 (Correspondence)
— see Wade and Ackerman, 235 (Correspondence)
Adelman S see Hudson et al, 544
Ahmed AR, Kaplan R: Pruritic urticarial papules and plaques of pregnancy, 679
— see Kaplan et al, 682
Albert DM see Nordlund et al, 528
Alper JC: Principles of genetics as related to the chromosome disorders and congenital malformations with reference to prenatal diagnosis and genetic counseling, 379
Anderson PC: Reply to Burnham TK: Nuclear immunofluorescent patterns in mixed connective tissue disease (MCTD), 96 (Correspondence)
—: Tactics, 231 (Editorial)
Anjo MD see Nacht et al, 31
Askari AD: Reply to Rogers RS III, O'Duffy JD: Behcet's syndrome and treatment with colchicine, 484 (Correspondence)
Ayres S Jr, Mihan R: Epidermolysis bullosa: vitamin E as an effective treatment, 482 (Correspondence)

B

Bailin PB see Sauder et al, 458
Bailin PL see Ratz and Bailin, 21
Baran R: Nail growth direction revisited, 78
Barr RJ see Brice et al, 233 (Correspondence)
Bauer F: Quinacrine hydrochloride drug eruption (tropical lichenoid dermatitis), 239 (Special article)
Baum EM, Omura EF, Payne RR, Little WP: Alopecia neoplastica—a rare form of cutaneous metastasis, 688
Beaman JH see Guin et al, 99 (Special report)
Beasley JN Jr see Nacht et al, 31
Beeaff DE see Chapple et al, 561
Beckman BI: Valisone aerosol spray contraindicated in mucous membranes, 233 (Correspondence)
Belcher R see Hashimoto et al, 300
Bergfeld WF see Hanke and Bergfeld, 278
— see Stiefler and Bergfeld, 611 (Correspondence)
Berman A, Herszenzon S: Vascular response in halo of recent halo nevus, 537
Bernstein JE see Yung et al, 412
Bhatia SG see Ong and Bhatia, 96 (Correspondence)
Bickers DR: Photochemotherapy of psoriasis: risk:benefit ratios, 90 (Editorial)
—: Reply to Epstein E: Metastasis with cutaneous squamous cell carcinoma, 735 (Correspondence)
Birt AR: Polymorphous light eruption, 610 (Correspondence)

January, pp. 1-126; February, pp. 127-254; March, pp. 255-378; April, pp. 379-504; May, pp. 505-632; June, pp. 633-782.

Bjellerup M, Bruze M, Krook G, Ljunggren B: Toxic hepatitis after PUVA, 481 (Correspondence)
Blank H: X-ray questionnaire, 236 (Correspondence)
Blatt PM see Taylor and Blatt, 348
Braverman IM see Goldgeier et al, 176
Bressler GS, Jones RE Jr: Erythema annulare centrifugum, 597
Brice SL, Barr RJ, Rattat JP: Reply to Beckman BI: Valisone aerosol spray contraindicated in mucous membranes, 233 (Correspondence)
Bruze M see Bjellerup et al, 481 (Correspondence)
Bures FA: Reply to Zackheim HS, Vasily DB, Westphal ML, Hastings CW: Reactions to niacinamide, 737 (Correspondence)
Burgdorf WHC, Dick GF, Soderberg MD, Goltz RW: Focal dermal hypoplasia in a father and daughter, 273
Burkhart CG, El-Shaar A: Computerized axial tomography in the early diagnosis of tuberous sclerosis, 59
Burnett JW see Buzas et al, 195
Burnham TK: Nuclear immunofluorescent patterns in mixed connective tissue disease (MCTD), 95 (Correspondence)
Buzas JW, Sina B, Burnett JW: Hypomelanosis of Ito, 195

C

Callen JP: Intraleisional corticosteroids, 149
— see Giannini et al, 695
— see Turner and Callen, 446
Caputo RV see Rasmussen et al, 337
Caro I: Primary cutaneous aspergillosis, 609 (Correspondence)
Caro WA see Roenigk and Caro, 319
Carter DM: Reply to Catalano PM: Our bureaucracy, 94 (Correspondence)
Catalano PM: Reply to Sauer GC: Who wants bureaucracy? 94 (Correspondence)
Chapel TA, Mehregan AH, Reyman TA: Histologic findings in mummified skin, 27
Chappe SG, Roenigk HH Jr, Miller AJ, Beeaff DE, Tyrpin L: The effect of photochemotherapy on the cardiovascular system, 561
Chesney TMC, Wardlaw LL, Kaplan RJ, Chow JF: Porphyria cutanea tarda complicating Wilson's disease, 64
Chow JF see Chesney et al, 64
Clarke AM see Jordan et al, 584
Cohen HJ: Gatekeeper of medical care, 738 (Correspondence)
—: Perioral dermatitis, 739 (Correspondence)
—: The ABMS strikes back, 238 (Correspondence)
Cohen SR see Goldgeier et al, 176
Cram DL: Psoriasis: current advances in etiology and treatment, 1
Crotty CP, Winkelmann RK: Cytophagic histiocytic panniculitis with fever, cytopenia, liver failure, and terminal hemorrhagic diathesis, 181
Curry SS, Gaither DH, King LE Jr: Squamous cell carcinoma arising in dissecting perifolliculitis of the scalp, 673

D

Dahl MV see Swanson and Dahl, 325
Davis BR see Kark et al, 152

Dawber R, Wilkinson J: Therapy of lentigo maligna and Spitz nevus, 736 (Correspondence)
 Deneau DG *see* Abel et al, 423
 Derbyshire RC: Recertification and relicensure: a physician's viewpoint, 75
 —: Reply to Knox JM: Recertification and relicensure, 738 (Correspondence)
 De Villez RL: *see* Stevens and De Villez, 235 (Correspondence)
 Dick GF *see* Burgdorf et al, 273
 Dixon RS, Mikhail GR: Erythroplasia (Queyrat) of conjunctiva, 160
 Dobson RL *see* Thiers and Dobson, 487
 Dolezal JF: Blastomycoid sporotrichosis, 523
 Doyle JA *see* Scheen et al, 451
 — *see* Thomas and Doyle, 505

E

Eaglstein WH: The body politic, 94 (Correspondence)
 Elgart ML *see* Isaacson et al, 404
 El-Shaar A *see* Burkhardt and El-Shaar, 59
 Engasser PG, Lys RS: Direct access in HMOs, 740 (Correspondence)
 Epstein E: Metastasis with cutaneous squamous cell carcinoma, 734 (Correspondence)
 —: Monsel's solution, 606 (Correspondence)
 Esterly NB *see* Rasmussen et al, 337
 Estes SA, Merz WG: Reply to Caro I: Primary cutaneous aspergillosis, 609 (Correspondence)
 Everett MA: Dermatologists in academia: 1980, 346 (Special article)
 —: Residency positions in dermatology, 344 (Special article)

F

Farber EM *see* Abel et al, 423
 Fisch RO, Tsai MY, Gentry WC Jr: Studies of phenylketonurics with dermatitis, 284
 Fisher AA: Reply to Zeleznick LD: The antihistamines, 607 (Correspondence)
 Fitzpatrick TB *see* Sanchez et al, 698
 Forstot SL *see* Franco et al, 67
 Franco HL, Weston WL, Peebles C, Forstot SL, Phanuphak P: Autoantibodies directed against sicca syndrome antigens in the neonatal lupus syndrome, 67

G

Gaither DH *see* Curry et al, 673
 Gatti S *see* Jorizzo et al, 723
 Gay RM *see* Walker et al, 571
 Gentry WC Jr *see* Fisch et al, 284
 Giannini JM, Callen JP, Gruber GG: Bullous pemphigoid and rheumatoid arthritis, 695
 Gilliam JN, Sontheimer RD: Distinctive cutaneous subsets in the spectrum of lupus erythematosus, 471 (Editorial)
 Gillis WT *see* Guin et al, 99 (Special report)
 Ginsburg CM: *Hemophilus influenzae* type B buccal cellulitis, 661
 Glasser MA: Recertification and relicensure: a consumer's viewpoint, 73
 Gluck JC *see* Marks et al, 519
 Goette DK: Topical chemotherapy with 5-fluorouracil, 633
 Goldgeier MH, Cohen SR, Braverman IM, Stenn KS: An unusual and fatal case of disseminated cutaneous herpes simplex, 176

Goldsmith LA: Principles of genetics as applied to dermatologic diseases, 255
 Goltz RW *see* Burgdorf et al, 273
 Good RA *see* Myskowski et al, 711
 Grossman ME *see* Troy et al, 547
 Gruber GG *see* Giannini et al, 695
 Guin JD: Complications of topical hydrocortisone, 417
 —: Contact dermatitis to perfume in paper products, 733 (Correspondence)
 —, Gillis WT, Beaman JH: Recognizing the Toxicodendrons (poison ivy, poison oak, and poison sumac), 99 (Special report)

H

Haines K *see* Safai et al, 435
 Hale RK *see* Jordan et al, 584
 Halem-Sinclair E *see* Marks et al, 519
 Hanke CW, Bergfeld WF: Fiber implantation for pattern baldness, 278
 Hashimoto K, McEvoy B, Belcher R: Ultrastructure of penicillamine-induced skin lesions, 300
 Hastings CW *see* Zackheim et al, 736 (Correspondence)
 Held B *see* Steinberger et al, 54
 Hellier F, 747 (Contemporaries)
 Helwig EB *see* Silvers and Helwig, 166
 Hendricks WM: Eruptive blue nevi, 50
 Herlihy KJ *see* Saco et al, 619
 Hermann KW *see* Weaver and Hermann, 577
 Herszenzon S *see* Berman and Herszenzon, 537
 Hoppe RT *see* Abel et al, 423
 Hudson LD, Adelman S, Lewis CW: Pityriasis rosea, 544
 Hurwitz S, Kahn G: VIIth Postgraduate Seminar in Pediatric Dermatology, 119

I

Isaacson D, Turner ML, Elgart ML: Summertime actinic lichenoid eruption (lichen planus actinicus), 404

J

Jackson R: Quick "suntan" pills in Canda, 233 (Correspondence)
 Jaffe IA *see* Troy et al, 547
 Jarratt M *see* Rasmussen et al, 337
 — *see* Stern et al, 442
 Jones RE Jr *see* Bressler and Jones, 597
 Jordan WP Jr: Contact dermatitis from D & C Yellow 11 dye in a toilet bar soap, 613 (Correspondence)
 —, Clarke AM, Hale RK: Long-term modified Goeckerman regimen for psoriasis using an ultraviolet B light source in the home, 584
 Jorizzo JL, Gatti S, Smith EB: Prurigo: a clinical review, 723

K

Kahn G *see* Hurwitz and Kahn, 119
 Kaidbey KH, Kligman AM: An appraisal of the efficacy and substantivity of the new high-potency sunscreens, 566
 Kanof NM, 375 (Contemporaries)
 Kaplan R *see* Ahmed and Kaplan, 679
 Kaplan RJ *see* Chesney et al, 64
 Kaplan RP, Touloukian J, Ahmed AR, Newcomer VD: Esophagus dissecans superficialis associated with pemphigus vulgaris, 682

Kark EC, Davis BR, Pomeranz JR: Pyoderma gangrenosum treated with clofazimine, 152
King LE Jr *see* Curry et al, 673
Kligman AM: Response to Baran R: Nail growth direction revisited, 82
— *see* Kaidbey and Kligman, 566
Knox JM: Recertification and relicensure, 738 (Correspondence)
Kopf AW: Reply to Mascaro JM: Bowenoid papulosis, 607 (Correspondence)
Koranda FC: Antimalarials, 650
Krakauer RS *see* Sauder et al, 458
Krook G *see* Bjellerup et al, 481 (Correspondence)
Kumakiri M, Sudoh M, Miura Y: Xanthoma disseminatum, 291
Kuo T-t: Cutaneous extramedullary hematopoiesis presenting as leg ulcers, 592

L

Lamberts RJ *see* Schwartz and Lamberts, 38
Lane AT *see* Rasmussen et al, 337
Lapins NA: Eruptive vellus hair cysts, 611 (Correspondence)
Laur WE, Posey RE, Waller JD: Lichen planus-like keratosis, 329
Lavi E *see* Marks et al, 519
Leonard DD *see* Olmstead et al, 606 (Correspondence)
Lerner AB *see* Nordlund et al, 528
Lewin M *see* Safai et al, 435
Lewis CW *see* Hudson et al, 544
Little WP *see* Baum et al, 688
Ljunggren B *see* Bjellerup et al, 481 (Correspondence)
Lorincz AL *see* Yung et al, 412, 541
Lovegrove RH *see* Olsen et al, 556
Lund HZ *see* Olmstead et al, 606 (Correspondence)
Lynfield Y, O'Donohue MN: Tar, UVL, PUVA, and cancer, 612 (Correspondence)
Lyss RS *see* Engasser and Lyss, 740 (Correspondence)

M

Maibach HI *see* Nacht et al, 31
Marks MB, Gluck JC, Lavi E, Halem-Sinclair E: An unsuspected sign of cutaneous allergy, 519
Mascaro JM: Bowenoid papulosis, 607 (Correspondence)
Matsuo I, Yoshino K, Ozawa A, Ohkido M: Phytosterolemia and type IIa hyperlipoproteinemia with tuberous xanthomas, 47
Matsuoka L *see* Safai et al, 435
Matsuoka LY, Schauer PK, Sordillo PP: Basal cell carcinoma in black patients, 670
Maughan WZ *see* Muller et al, 234 (Correspondence)
McEvoy B *see* Hashimoto et al, 300
McKinney EC *see* Penneys et al, 401
Mehregan AH *see* Chapel et al, 27
Merz WG *see* Estes and Merz, 609 (Correspondence)
Mihan R *see* Ayres and Mihan, 482 (Correspondence)
Mihm MC Jr *see* Sanchez et al, 698
Mikhail GR *see* Dixon and Mikhail, 160
Miller AJ *see* Chapple et al, 561
Milstein HG: 5-Fluorouracil as an aid in management of acne and melasma, 97 (Correspondence)
Miura Y *see* Kumakiri et al, 291
Moshell AN: Occupational skin disease: where are the dermatologists? 729 (Editorial)

Muller SA, Perry HO, Pittelkow MR, Maughn WZ, O'Brien PC: Coal tar, ultraviolet light, and cancer, 234 (Correspondence)
Murray JC, Pollack SV, Pinnell SR: Keloids: a review, 461
Myskowski PL, Safai B, Good RA: Decreased lymphocyte blastogenic responses in patients with multiple basal cell carcinoma, 711

N

Nacht S, Yeung D, Beasley JN Jr, Anjo MD, Maibach HI: Benzoyl peroxide: percutaneous penetration and metabolic disposition, 31
Nadji M *see* Penneys et al, 401
Newcomer VD *see* Kaplan et al, 682
Nordlund JJ, Taylor NT, Albert DM, Wagoner MD, Lerner AB: The prevalence of vitiligo and poliosis in patients with uveitis, 528

O

O'Brien PC *see* Muller et al, 234 (Correspondence)
O'Donohue MN *see* Lynfield and O'Donohue, 612 (Correspondence)
O'Duffy JD *see* Rogers and O'Duffy, 483 (Correspondence)
Ohkido M *see* Matsuo et al, 47
— *see* Ozawa et al, 205
Olmstead PM, Lund HZ, Leonard DD: Monsel's solution, 606 (Correspondence)
Olsen TG, Peck GL, Lovegrove RH: Acute urinary tract obstruction in dyskeratosis congenita, 556
Omura EF *see* Baum et al, 688
Ong GP, Bhatia SG: Survival of *Sarcoptes scabiei*, 96 (Correspondence)
Ozawa A, Ohkido M, Tsuji K: Some recent advances in HLA and skin diseases, 205
— *see* Matsuo et al, 47

P

Pariser DM: Reply to Bjellerup M, Bruze M, Krook G, Ljunggren B: Toxic hepatitis after PUVA, 481 (Correspondence)
Paslin DA: Localized primary cutaneous intravascular papillary endothelial hyperplasia, 316
Pass F: Biotechnology, a new industrial revolution, 476 (Editorial)
Pathak MA *see* Sanchez et al, 698
Payne RR *see* Baum et al, 688
Peck GL *see* Olsen et al, 556
Peebles C *see* Franco et al, 67
Penneys NS, Nadji M, McKinney EC: Carcinoembryonic antigen present in human eccrine sweat, 401
Perry HO *see* Muller et al, 234 (Correspondence)
Phanuphak P *see* Franco et al, 67
Pillsbury DM (1902-1980), 630 (Contemporaries)
Pinnell SR *see* Murray et al, 461
Pittelkow MR *see* Muller et al, 234 (Correspondence)
Poh-Fitzpatrick MB: "Red sweat," 481 (Correspondence)
Pollack SV *see* Murray et al, 461
Pomeranz JR *see* Kark et al, 152
Posey RE *see* Laur et al, 329
Powell DW *see* Saco et al, 619
Presser SE, Taylor JR: Squamous cell carcinoma in blacks with discoid lupus erythematosus, 667
Price NM *see* Abel et al, 423

Provost TT, Reichlin M: Antinuclear antibody-negative systemic lupus erythematosus. I. Anti-Ro(SSA) and anti-La(SSB) antibodies, 84

R

Rappaport I *see* Safai et al, 435

Rasmussen J, Caputo RV, Lane AT, Jarratt M, Esterly NB: Society for Pediatric Dermatology, 337

Rattet JP *see* Brice et al, 233 (Correspondence)

Ratz JL, Baillie PL: Cutaneous amyloidosis, 21

Reichlin M *see* Provost and Reichlin, 84

Reyman TA *see* Chapel et al, 27

Ribble JC *see* Wilkin et al, 665

Rodriguez-Rigau LJ *see* Steinberger et al, 54

Roenigk HH Jr, Caro WA: Skin cancer in the PUVA-48 cooperative study, 319

— *see* Chappe et al, 561

Rogers RS III, O'Duffy JD: Behcet's syndrome and treatment with colchicine, 483 (Correspondence)

Rosenthal LE: CME examinations: one year of experience, 115 (Special report)

S

Saco LS, Herlihy KJ, Powell DW: Pseudomembranous (antibiotic-associated) colitis, 619

Safai B, Rappaport I, Matsuoka L, Sogn D, Haines K, Lewin M: Childhood dermatitis herpetiformis, 435

— *see* Myskowski et al, 711

Sanchez JL *see* Sanchez et al, 698

Sanchez NP, Pathak MA, Sato S, Fitzpatrick TB, Sanchez JL, Mihm MC Jr: Melasma: A clinical, light microscopic, ultrastructural, and immunofluorescence study, 698

Sato S *see* Sanchez et al, 698

Sauder DN, Steck WD, Baillie PL, Krakauer RS: Lymphocyte kinetics in pustular psoriasis, 458

Saurat JH *see* Woodley and Saurat, 715

Schauer PK *see* Matsuoka et al, 670

Scheen SR III, Doyle JA, Winkelmann RK: Lymphoma-associated papulosis: Lymphomatoid papulosis associated with lymphoma, 451

Schwartz H: Dermatology in the 1980s: a somber perspective, 615 (Editorial)

Schwartz RA, Lamberts RJ: Isolated nodular cutaneous coccidioidomycosis, 38

Silvers DN, Helwig EB: Melanocytic nevi in neonates, 166

— *see* Troy et al, 547

Simões GA: Speckled zosteriform lentiginous nevus, 236 (Correspondence)

Sina B *see* Buzas et al, 195

Smith EB *see* Jorizzo et al, 723

Smith KD *see* Steinberger et al, 54

Soderberg MD *see* Burgdorf et al, 273

Sogn D *see* Safai et al, 435

Soltani K *see* Yung et al, 412

Sontheimer RD *see* Gilliam and Sontheimer, 471 (Editorial)

Sordillo PP *see* Matsuoka et al, 670

Steck WD *see* Sauder et al, 458

Steinberger E, Rodriguez-Rigau LJ, Smith KD, Held B: The menstrual cycle and plasma testosterone levels in women with acne, 54

Stenn KS *see* Goldgeier et al, 176

Stern JK, Wolf JE Jr, Jarratt M: Benign neonatal hemangiomas, 442

Stevens CS, De Villez RL: Reply to Wade TR, Ackerman AB: Bowenoid papulosis, 235 (Correspondence)

Stieffler R, Bergfeld WF: Reply to Lapins NA: Eruptive vellus hair cysts, 611 (Correspondence)

Su WPD *see* Thyresson and Su, 430

Sudoh M *see* Kumakiri et al, 291

Sulzberger MB, 500 (Contemporaries)

—: Donald Marion Pillsbury (1902-1980), 612 (Correspondence)

Swanson DL, Dahl MV: Pemphigus vulgaris and plasma exchange: Clinical and serologic studies, 325

T

Taylor JR *see* Presser and Taylor, 667

Taylor NT *see* Nordlund et al, 528

Taylor RE, Blatt PM: Clinical evaluation of the patient with bruising and bleeding, 348

Thiers BH: Hazards of therapy, 495

—: Pemphigus, 603

—: Therapeutic briefs, II, 249

—: Therapeutic briefs, III, 369

—: Dobson RL: Westwood Conference on Clinical Dermatology, 487

Thomas JR III, Doyle JA: The therapeutic uses of topical vitamin A acid, 505

Thyresson HN, Su WPD: Familial cutaneous leiomyomatosis, 430

Todd JK *see* Weston and Todd, 478 (Editorial)

Touloukian J *see* Kaplan et al, 682

Troy JL, Silvers DN, Grossman ME, Jaffe IA: Penicillamine-associated pemphigus: Is it really pemphigus? 547

Tsai MY *see* Fisch et al, 284

Tsuji K *see* Ozawa et al, 205

Tuffanelli DL: Lupus erythematosus, 127

Turner JE, Callen JP: Aggressive behavior of squamous cell carcinoma in a patient with preceding lymphocytic lymphoma, 446

Turner ML *see* Isaacson et al, 404

Tyrrin L *see* Chappe et al, 561

V

Valdes-Dapena M *see* Walker et al, 571

Vasily DB *see* Zackheim et al, 736 (Correspondence)

W

Wade TR, Ackerman AB: Bowenoid papulosis, 235 (Correspondence)

Wagoner MD *see* Nordlund et al, 528

Walker DH, Gay RM, Valdes-Dapena M: The occurrence of eschars in Rocky Mountain spotted fever, 571

Waller JD *see* Laur et al, 329

Wardlaw LL *see* Chesney et al, 64

Weaver JE, Herrmann KW: Evaluation of adverse reaction reports for a new laundry product, 577

Weston WL, Todd JK: Toxic-shock syndrome, 478 (Editorial)

— *see* Franco et al, 67

Westphal ML *see* Zackheim et al, 736 (Correspondence)

Wilkin JK, Ribble JC, Wilkin OC: Vascular factors and the localization of varicella lesions, 665

Wilkin OC *see* Wilkin et al, 665

Wilkinson J *see* Dawber and Wilkinson, 736 (Correspondence)

Wilson B: Reply to Ayres S Jr, Mihan R: Epidermolysis bullosa: vitamin E as an effective treatment, 482 (Correspondence)
Winkelmann RK *see* Crotty and Winkelmann, 181
— *see* Scheen et al, 451
Winston EM *see* Yung et al, 544
Wolf JE Jr *see* Stern et al, 442
Woodley D, Saurat JH: The Burrow Ink Test and the scabies mite, 715

Y

Yeung D *see* Nacht et al, 31
Yoshino K *see* Matsuo et al, 47

Yung CW, Soltani K, Bernstein JE, Lorincz AL: Unilateral linear nevoidal syringoma, 412
—, Winston EM, Lorincz AL: Dacarbazine-induced photosensitivity reaction, 541

Z

Zackheim HS, Vasily DB, Westphal ML, Hastings CW: Reactions to niacinamide, 736 (Correspondence)
Zelenick LD: The antihistamines, 606 (Correspondence)

Subject index

A

ABMS strikes back (Cohen), 238 (Correspondence)
Abnormalities, coagulation; clinical evaluation of patient with bruising and bleeding (Taylor and Blatt), 354
congenital; genetics (Alper), 385
Academia, dermatologists in: 1980 (Everett), 346 (Special article)
Acanthosis nigricans; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 510
Acne, alopecia, hirsutism, and cyproterone acetate; therapeutic briefs (Thiers), 370
and melasma, 5-fluorouracil as aid in management of (Milstein), 97 (Correspondence)
menstrual cycle and plasma testosterone levels in women with (Steinberger et al), 54
therapeutic uses of topical vitamin A acid (Thomas and Doyle), 507
Actinic lichenoid eruption, summertime (lichen planus actinicus) (Isaacson et al), 404
Aerosol spray, Valisone, contraindicated in mucous membranes (Beckman), 233 (Correspondence)
reply (Brice et al), 233 (Correspondence)
Allergy, cutaneous, unsuspected sign of (Marks et al), 519
Alopecia areata, photochemotherapy for; therapeutic briefs (Thiers), 250
hirsutism, acne, and cyproterone acetate; therapeutic briefs (Thiers), 370
neoplastica—rare form of cutaneous metastasis (Baum et al), 688
Amino acid analysis; studies of phenylketonurics with dermatitis (Fisch et al), 285
Amphotericin B for blastomycoid sporotrichosis (Dolezal), 523
Amyloidosis, cutaneous (Ratz and Baillie), 21
Anthralin in treatment of psoriasis (Cram), 8
Antibiotic-associated (pseudomembranous) colitis (Saco et al), 619
Antibodies, anti-Ro(SSA), and anti-La(SSB), in antinuclear antibody-negative systemic lupus erythematosus (Provost and Reichlin), 84
pigment cell, serologic studies for; prevalence of vitiligo and poliosis in patients with uveitis (Nordlund et al), 529
Antigen(s), carcinoembryonic, present in human eccrine sweat (Penneys et al), 401
sicca syndrome, autoantibodies directed against, in neonatal lupus syndrome (Franco et al), 67
Antihistamines (Zeleznick), 606 (Correspondence)
reply (Fisher), 607 (Correspondence)
Antimalarials (Koranda), 650
Antimetabolites in treatment of psoriasis (Cram), 9
Antinuclear antibody-negative systemic lupus erythematosus (Provost and Reichlin), 84
Arthritis, rheumatoid, bullous pemphigoid and (Giannini et al), 695
Aspergillosis, primary cutaneous (Caro), 609 (Correspondence)
reply (Estes and Merz), 609 (Correspondence)
Autoantibodies directed against sicca syndrome antigens in neonatal lupus syndrome (Franco et al), 67

B

Baldness, pattern, fiber implantation for (Hanke and Bergfeld), 278
Basal cell carcinoma in black patients (Matsuoka et al), 670
January, pp. 1-126; February, pp. 127-254; March, pp. 255-378; April, pp. 379-504; May, pp. 505-632; June, pp. 633-782.

Basal cell carcinoma—cont'd

multiple, decreased lymphocyte blastogenic responses in patients with (Myskowsky et al), 711
Behcet's syndrome and treatment with colchicine (Rogers and O'Duffy), 483 (Correspondence)
reply (Askari), 484 (Correspondence)
Benzoyl peroxide; percutaneous penetration and metabolic disposition (Nacht et al), 31
Biotechnology, new industrial revolution (Pass), 476 (Editorial)
Black patients, basal cell carcinoma in (Matsuoka et al), 670
Blacks with discoid lupus erythematosus, squamous cell carcinoma in (Presser and Taylor), 667
Blastogenic responses, decreased lymphocyte, in patients with multiple basal cell carcinoma (Myskowsky et al), 711
Blastomycoid sporotrichosis (Dolezal), 523
Bleeding, bruising and, clinical evaluation of patient with (Taylor and Blatt), 348
Body politic (Eaglstein), 94 (Correspondence)
Book reviews, 126, 253, 373, 745
Bowenoid papulosis (Wade and Ackerman), 235; (Mascaro), 607 (Correspondence)
replies (Stevens and De Ville; Kopf; Ackerman), 235, 607, 608 (Correspondence)
topical chemotherapy with 5-FU (Goette), 633
Bowen's disease, erythroplasia of Queyrat identical with (Dixon and Mikhail), 160
topical chemotherapy with 5-FU (Goette), 633
Bruising and bleeding, clinical evaluation of patient with (Taylor and Blatt), 348
Buccal cellulitis, *Haemophilus influenzae* type B (Ginsburg), 661
Bullous pemphigoid and rheumatoid arthritis (Giannini et al), 695
Bureaucracy, our (Catalano), reply to (Carter), 94 (Correspondence)
who wants (Sauer), reply to (Catalano), 94 (Correspondence)
Burrow Ink Test and scabies mite (Woodley and Saurat), 715

C

Callosities; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 509
Cancer, coal tar, and ultraviolet light (Muller et al), 234 (Correspondence)
skin, in PUVA-48 cooperative study (Roenigk and Caro), 319
tar, UVL, and PUVA (Lynfield and O'Donohue), 612 (Correspondence)
Carcinoembryonic antigen present in human eccrine sweat (Penneys et al), 401
Carcinogenicity; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 507
Carcinoma, basal cell, in black patients (Matsuoka et al), 670
topical chemotherapy with 5-FU (Goette), 633
cutaneous squamous cell, metastasis with (Epstein), 734 (Correspondence)
reply (Bickers), 735 (Correspondence)
in situ, epidermoid; erythroplasia of Queyrat (Dixon and Mikhail), 160
metastatic; topical chemotherapy with 5-FU (Goette), 633
multiple basal cell, decreased lymphocyte blastogenic responses in patients with (Myskowsky et al), 711
squamous cell, aggressive behavior of, in patient with preceding lymphocytic lymphoma (Turner and Callen), 446
arising in dissecting perifolliculitis of scalp (Curry et al), 673

Carcinoma, squamous cell—cont'd
in blacks with discoid lupus erythematosus (Presser and Taylor), 667
topical chemotherapy with 5-FU (Goette), 633

Cardiovascular system, effect of photochemotherapy on (Chappe et al), 561

Cellulitis, buccal, *Hemophilus influenzae* type B (Ginsburg), 661

Central nervous system abnormalities, hypomelanosis of Ito associated with high percentage of (Buzas et al), 195

Cheilitis, actinic, and mucosal leukoplakia; topical chemotherapy with 5-FU (Goette), 633

Childhood dermatitis herpetiformis (Safai et al), 435

Chromosome disorders and congenital malformations, principles of genetics as related to, with reference to prenatal diagnosis and genetic counseling (Alper), 379

Cinnarizine and urticaria; therapeutic briefs (Thiers), 370

Cirrhosis, methotrexate and; hazards of therapy (Thiers), 495

Clindamycin and lincomycin era; pseudomembranous (antibiotic-associated) colitis (Saco et al), 620

Clinical dermatology, Westwood Conference on, Fifth Annual Conference (Thiers and Dobson), 487

Clofazimine, pyoderma gangrenosum treated with (Kark et al), 152

Clostridium difficile era; pseudomembranous (antibiotic-associated) colitis (Saco et al), 620

Coagulation abnormalities; clinical evaluation of patient with bruising and bleeding (Taylor and Blatt), 354

Coal tar, ultraviolet light, and cancer (Muller et al), 234 (Correspondence)

Coccidioidomycosis (Schwartz and Lamberts), 38

Colchicine, Behcet's syndrome and treatment with (Rogers and O'Duffy), 483 (Correspondence)
reply (Askari), 484 (Correspondence)

Colitis, pseudomembranous (antibiotic-associated) (Saco et al), 619

Collagenosis, reactive perforating; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 511

Complement deficiency in lupus erythematosus (Tuffanelli), 131

Computerized axial tomography in early diagnosis of tuberous sclerosis (Burkhart and El-Shaar), 59

Congenital malformations, principles of genetics as related to chromosome disorders and, with reference to prenatal diagnosis and genetic counseling (Alper), 379

Conjunctiva, erythroplasia (Queyrat) of (Dixon and Mikhail), 160

Connective tissue disease, mixed (MCTD), nuclear immunofluorescent patterns in (Burnham), 95 (Correspondence)
reply (Anderson), 96 (Correspondence)

Contact dermatitis from D & C Yellow 11 dye in toilet bar soap (Jordan), 613 (Correspondence)
to perfume in paper products (Guin), 733 (Correspondence)

Contemporaries, 375, 500, 630, 747

Continuing medical education (CME) examination, 16, 144, 268, 396, 514, 656
answers, 15, 143, 267, 395, 516, 658
examinations: one year of experience (Rosenthal), 115

Corneal epithelial healing; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 511

Corticosteroids, immunosuppressive, and polyarteritis nodosa; therapeutic briefs (Thiers), 369

intraleisional (Callen), 149
role of; lymphocyte kinetics in pustular psoriasis (Sauder et al), 458

Corticosteroids—cont'd
in treatment of keloids (Murray et al), 467
of psoriasis (Cram), 8

Counseling, genetic; principles of genetics as related to chromosome disorders and congenital malformations with reference to prenatal diagnosis and (Alper), 379

Cromoglycate, oral sodium and disodium; therapeutic briefs (Thiers), 370, 371

Cutaneous allergy, unsuspected sign of (Marks et al), 519

amyloidosis (Ratz and Bailin), 21

coccidioidomycosis, isolated nodular (Schwartz and Lamberts), 38

extramedullary hematopoiesis presenting as leg ulcers (Kuo), 592

injury and development of blue nevi (Hendricks), 50

metastasis, alopecia neoplastica rare form of (Baum et al), 688

Cyproterone acetate, hirsutism, acne, alopecia, and; therapeutic briefs (Thiers), 370

Cysts, eruptive velus hair (Lapins), 611 (Correspondence)
reply (Stiebler and Bergfeld), 611 (Correspondence)

D

Dacarbazine-induced photosensitivity reaction (Yung et al), 541

Darier's disease; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 509

topical chemotherapy with 5-FU (Goette), 633

D & C Yellow 11 dye, contact dermatitis from, in toilet bar soap (Jordan), 613 (Correspondence)

Defects, genetic, nature of genetic diseases and levels of; principles of genetics as applied to dermatologic diseases (Goldsmith), 256

Dermal hypoplasia, focal, in father and daughter (Burgdorf et al), 273

Dermatitis, atopic, psoriasis, and epidermolysis bullosa discussed; some recent advances in HLA and skin diseases (Ozawa et al), 205

contact, from D & C Yellow 11 dye in toilet bar soap (Jordan), 613 (Correspondence)

to perfume in paper products (Guin), 733 (Correspondence)

herpetiformis, childhood (Safai et al), 435

periocular (Cohen), 739 (Correspondence)

studies of phenylketonurics with (Fisch et al), 284

tropical lichenoid (quinacrine hydrochloride drug eruption) (Bauer), 239 (Special article)

Dermatologic diseases, principles of genetics as applied to (Goldsmith), 255

Dermatologists in academia: 1980 (Everett), 346 (Special article)

Dermatology, Clinical, Westwood Conference on, Fifth Annual Conference (Thiers and Dobson), 487

in 1980s: somber perspective (Schwartz), 615 (Editorial)

Pediatric, VIIth Postgraduate Seminar in (Hurwitz and Kahn), 119

Society for, Fifth Annual Meeting (Rasmussen et al), 337

residency position in (Everett), 344 (Special article)

Dermo-Jet, injection of intralesional corticosteroids with (Callen), 149

Diabetes insipidus and xanthoma disseminatum (Kumakiri et al), 291

Dialysis in treatment of psoriasis (Cram), 9

Diathesis, terminal, febrile bleeding, cytopenia, and abnormal liver function tests in cytophagic histiocytic panniculitis (Crotty and Winkelmann), 181

Dinitrochlorobenzene: absorption; hazards of therapy (Thiers), 497

Discoid lupus erythematosus, squamous cell carcinoma in blacks with (Presser and Taylor), 667

Disease(s), dermatologic, principles of genetics as applied to (Goldsmith), 255

Disease(s)—cont'd
occupational skin: where are dermatologists? (Moshell), 729
(Editorial)

Drug(s) associated with lupus erythematosus (Tuffanelli), 128
eruption, quinacrine hydrochloride (tropical lichenoid dermatitis) (Bauer), 239 (Special article)

Dye, D & C Yellow 11, in toilet bar soap, contact dermatitis from (Jordan), 613 (Correspondence)

Dyskeratosis congenita, acute urinary tract obstruction in (Olsen et al), 556

E

Eccrine sweat, human, carcinoembryonic antigen present in (Penneys et al), 401

Eisenhower's "melanoma"; Donald Marion Pillsbury, 632 (Contemporaries)

Endemicity in isolated nodular cutaneous coccidioidomycosis (Schwartz and Lamberts), 41

Endothelial hyperplasia, papillary, localized primary cutaneous intravascular (Paslin), 316

Epidermolysis bullosa, psoriasis, and atopic dermatitis discussed; some recent advances in HLA and skin diseases (Ozawa et al), 205
vitamin E as effective treatment (Ayres and Mihan), 482 (Correspondence)
reply (Wilson), 482 (Correspondence)

Eruption, summertime actinic lichenoid (lichen planus actinicus) (Isaacson et al), 404

Erythema annulare centrifugum (Bressler and Jones), 597

Erythrodermic and plaque type mycosis fungoides, PUVA treatment of (Abel et al), 423

Erythromycin, disseminated gonococemia and; therapeutic briefs (Thiers), 371

Erythroplasia (Queyrat) of conjunctiva (Dixon and Mikhail), 160
topical chemotherapy with 5-FU (Goette), 633

Eschars, occurrence of, in Rocky Mountain spotted fever (Walker et al), 571

Esophagitis dissecans superficialis associated with pemphigus vulgaris (Kaplan et al), 682

F

Familial cutaneous leiomyomatosis (Thyresson and Su), 430

Fever, Rocky Mountain spotted, occurrence of eschars in (Walker et al), 571

Fiber implantation for pattern baldness (Hanke and Bergfeld), 278

Fibroblast culture, skin: studies of phenylketonurics with dermatitis (Fisch et al), 285

5-Fluorouracil as aid in management of acne and melasma (Milstein), 97 (Correspondence)
topical chemotherapy with (Goette), 633

Focal dermal hypoplasia in father and daughter (Burgdorf et al), 273

Fomite spread in isolated nodular cutaneous coccidioidomycosis (Schwartz and Lamberts), 43

Fox-Fordyce disease; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 511

G

Gamma benzene hexachloride; absorption; hazards of therapy (Thiers), 497

Gatekeeper of medical care (Cohen), 738 (Correspondence)

Genetic(s), dermatologic, source material for approaching problems in; principles of genetics as applied to dermatologic diseases (Goldsmith), 265

Genetics—cont'd
human, new findings about human major histocompatibility complex applied to (Ozawa et al), 205
predisposition in lupus erythematosus (Tuffanelli), 127
principles of, as applied to dermatologic diseases (Goldsmith), 255
as related to chromosome disorders and congenital malformations with reference to prenatal diagnosis and genetic counseling (Alper), 379
role of, in psoriasis (Cram), 2

Geographic tongue; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 511

Goeckerman regimen for psoriasis, long-term modified, using ultraviolet B light source in home (Jordan et al), 584

Gonococemia, disseminated, and erythromycin; therapeutic briefs (Thiers), 371

Griseofulvin and lichen planus; therapeutic briefs (Thiers), 369

H

Halo nevus, recent, vascular response in halo of (Berman and Herszonson), 537

Hazards of therapy (Thiers), 495

Hellier, Frank, O.B.E., M.A., M.D., F.R.C.P., 747 (Contemporaries)

Hemangiomatosis, benign neonatal (Stern et al), 442

Hematopoiesis, cutaneous extramedullary, presenting as leg ulcers (Kuo), 592

Hemophilia A and vWD; clinical evaluation of patient with bruising and bleeding (Taylor and Blatt), 355

Hemophilus influenzae type B buccal cellulitis (Ginsburg), 661

Hemorrhagic diathesis, terminal, cytophagic histiocytic panniculitis with fever, cytopenia, and liver failure (Crotty and Winkelmann), 181

Hemostasis, biology of; clinical evaluation of patient with bruising and bleeding (Taylor and Blatt), 348

Hepatitis, toxic, after PUVA (Bjelleup et al), 481 (Correspondence)
reply (Pariser), 481 (Correspondence)

Herpes simplex, cutaneous disseminated, unusual and fatal case of (Goldgeier et al), 176

Herpetiformis, childhood dermatitis (Safai et al), 435

Heterogeneity; principles of genetics as applied to dermatologic diseases (Goldsmith), 262

Hirsutism, acne, alopecia, and cyproterone acetate; therapeutic briefs (Thiers), 370

Histocompatibility complex and various diseases, association between (Ozawa et al), 205

Histologic findings in mummified skin (Chapel et al), 27

HLA and skin diseases, some recent advances in (Ozawa et al), 205

HMOs, direct access in (Engasser and Lyss), 740 (Correspondence)

Hormones in lupus erythematosus (Tuffanelli), 128

Hydrocortisone, topical, complications of (Guin), 417

Hyperlipoproteinemia, type IIa, and phytosterolemia, with tuberous xanthomas (Matsuo et al), 47

Hyperplasia, localized primary cutaneous intravascular papillary endothelial (Paslin), 316

Hypomelanosis of Ito (Buzas et al), 195

Hypoplasia, focal dermal, in father and daughter (Burgdorf et al), 273

I

Ichthyosis; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 509

Immune complex disease; lupus erythematosus (Tuffanelli), 129

Immune—cont'd

responses, human, mechanism of, new findings about human major histocompatibility complex applied to (Ozawa et al), 205
system in pathogenesis of psoriasis and psoriatic arthritis (Cram), 4
Immunity in lupus erythematosus (Tuffanelli), 127
Immunofluorescence study, clinical, light microscopic, and ultrastructural (Sanchez et al), 698
Immunofluorescent patterns, nuclear, in mixed connective tissue disease (MCTD) (Burnham), 95 (Correspondence)
reply (Anderson), 96 (Correspondence)
Immunology, transplantation, new findings about human major histocompatibility complex applied to (Ozawa et al), 205
Immunosuppression and coccidioidomycosis (Schwartz and Lamberts), 41
Immunosuppressives, corticosteroids, and polyarteritis nodosa; therapeutic briefs (Thiers), 369
Implantation, fiber, for pattern baldness (Hanke and Bergfeld), 278
Inheritance; principles of genetics as applied to dermatologic diseases (Goldsmith), 258
Investigative studies of phenylketonurics with dermatitis (Fisch et al), 285
Ito, hypomelanosis of (Buzas et al), 195

K

Kanof, Naomi M., M.D., 375 (Contemporaries)
Karyotype determination with banding technic; genetics (Alper), 380
Keloids or hypertrophic scars; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 512
a review (Murray et al), 461
Keratoacanthoma(s) and 13-cis-retinoic acid; therapeutic briefs (Thiers), 251
therapeutic uses of topical vitamin A acid (Thomas and Doyle), 509
topical chemotherapy with 5-FU (Goette), 633
Keratosis(es), lichen planus-like (Laur et al), 329
palmaris et plantaris; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 509
seborrheic; topical chemotherapy with 5-FU (Goette), 633
solar, of extremities; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 509
Kinetics, lymphocyte, in pustular psoriasis (Sauder et al), 458
Kyrle's disease; topical chemotherapy with 5-FU (Goette), 633

L

Laundry product, new, evaluation of adverse reaction reports for (Weaver and Herrmann), 577
Leiomyomatosis, familial cutaneous (Thyresson and Su), 430
Lentiginous nevus, speckled zosteriform (Simões), 236 (Correspondence)
Lentigo maligna and Spitz nevus, therapy of (Dawber and Wilkinson), 736 (Correspondence)
topical chemotherapy with 5-FU (Goette), 633
Lesions, skin, penicillamine-induced, ultrastructure of (Hashimoto et al), 300
varicella, vascular factors and localization of (Wilkin et al), 665
Leukoplakia, mucosal, actinic cheilitis and; topical chemotherapy with 5-FU (Goette), 633
Lichen planus actinicus (summertime actinic lichenoid eruption (Isaacson et al), 404
and griseofulvin; therapeutic briefs (Thiers), 369
-like keratosis (Laur et al), 329
with lupus erythematosus (Tuffanelli), 131

Lichen planus—cont'd

therapeutic uses of topical vitamin A acid (Thomas and Doyle), 510
Lichenoid dermatitis, tropical (quinacrine hydrochloride drug eruption) (Bauer), 239 (Special article)
eruption, summertime actinic (lichen planus actinicus) (Isaacson et al), 404
Lincomycin and clindamycin era; pseudomembranous (antibiotic-associated) colitis (Saco et al), 620
Liver failure, fever, cytopenia, and terminal hemorrhagic diathesis, cytophagic histiocytic panniculitis with (Crotty and Winkelmann), 181
Lupus erythematosus (Tuffanelli), 127
antinuclear antibody-negative systemic (Provost and Reichlin), 84
distinctive cutaneous subsets in spectrum of (Gilliam and Sontheimer), 471 (Editorial)
squamous cell carcinoma in blacks with (Presser and Taylor), 667
syndrome, neonatal, autoantibodies directed against sicca syndrome antigens in (Franco et al), 67
Lymphocyte blastogenic responses, decreased, in patients with multiple basal cell carcinoma (Myskowsky et al), 711
kinetics in pustular psoriasis (Sauder et al), 458
Lymphoma-associated papulosis: lymphomatoid papulosis associated with lymphoma (Scheen et al), 451
cutaneous T cell, herpes simplex virus infection in patient with (Goldgeier et al), 176
preceding lymphocytic, aggressive behavior of squamous cell carcinoma in patient with (Turner and Callen), 446

M

Malformations, congenital, principles of genetics as related to, with reference to prenatal diagnosis and genetic counseling (Alper), 379
Malignancy, genetic disease and; principles of genetics as applied to dermatologic diseases (Goldsmith), 264
Mastocytosis, systemic, and disodium cromoglycate; therapeutic briefs (Thiers), 371
Medical care, gatekeeper of (Cohen), 738 (Correspondence)
Melanocytic nevi in neonates (Silvers and Helwig), 166
Melanoma, cutaneous metastatic; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 511
Melasma, acne and, 5-fluorouracil as aid in management of (Milstein), 97 (Correspondence)
clinical, light microscopic, ultrastructural, and immunofluorescence study (Sanchez et al), 698
therapeutic uses of topical vitamin A acid (Thomas and Doyle), 511
Menstrual cycle and plasma testosterone levels in women with acne (Steinberger et al), 54
Mental retardation and seizure disorders, hypomelanosis of Ito associated with high percentage of (Buzas et al), 195
Metastasis, cutaneous, alopecia neoplastica rare form of (Baum et al), 688
with cutaneous squamous cell carcinoma (Epstein), 734 (Correspondence)
reply (Bickers), 735 (Correspondence)
Methotrexate and cirrhosis; hazards of therapy (Thiers), 495
Metronidazole, rosacea, and tetracycline; therapeutic briefs (Thiers), 369
Microscopy, electron and light; ultrastructure of penicillamine-induced skin lesions (Hashimoto et al), 301

Minocycline and cutaneous pigmentation; hazards of therapy (Thiers), 498

Mite, scabies, Burrow Ink Test and (Woodley and Saurat), 715

Mohs, microscopically controlled excision of, lesions of erythroplasia (Queyrat) of conjunctiva excised by (Dixon and Mikhail), 160

Molluscum contagiosum; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 511

Monsel's solution (Epstein; Olmstead et al), 606 (Correspondence)

Mummified skin, histologic findings in (Chapel et al), 27

Mutation; principles of genetics as applied to dermatologic diseases (Goldsmith), 262

Mycosis fungoides, erythrodermic and plaque type, PUVA treatment of (Abel et al), 423

patient with, developing herpes simplex virus infection (Goldgeier et al), 176

topical chemotherapy with 5-FU (Goette), 633

N

Nail growth direction revisited (Baran), 78

response (Kligman), 82

Neonatal hemangiomas, benign (Stern et al), 442

lupus syndrome, autoantibodies directed against sicca syndrome antigens in (Franco et al), 67

Neonates, melanocytic nevi in (Silvers and Helwig), 166

Neuroleptics, depot, for delusions of infestation; therapeutic briefs (Thiers), 251

Nevoidal syringoma, unilateral linear (Yung et al), 412

Nevus(i) comedonicus; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 508

eruptive blue (Hendricks), 50

melanocytic, in neonates (Silvers and Helwig), 166

recent halo, vascular response in halo of (Berman and Herszenson), 537

speckled zosteriform lentiginous (Simões), 236 (Correspondence)

Niacinamide, reactions to (Zackheim et al), 736 (Correspondence)

reply (Bures), 737 (Correspondence)

Nuclear immunofluorescent patterns in mixed connective tissue disease (MCTD) (Burnham), 95 (Correspondence)

reply (Anderson), 96 (Correspondence)

O

Obstruction, acute urinary tract, in dyskeratosis congenita (Olsen et al), 556

Occupational skin disease: where are dermatologists? (Moshell), 729 (Editorial)

P

Paget's disease, extramammary; topical chemotherapy with 5-FU (Goette), 633

Panniculitis, cytophagic histiocytic, with fever, cytopenia, liver failure, and terminal hemorrhagic diathesis (Crotty and Winkelmann), 181

lupus erythematosus (Tuffanelli), 131

Papillary endothelial hyperplasia, localized primary cutaneous intravascular (Paslin), 316

Papules and plaques of pregnancy, pruritic urticarial (Ahmed and Kaplan), 679

Papulosis, bowenoid (Wade and Ackerman), 235 (Correspondence)

reply (Stevens and De Villez), 235 (Correspondence)

lymphoma-associated; lymphomatoid papulosis associated with lymphoma (Scheen et al), 451

Paronychia, chronic, nail surgery for; nail growth direction revisited (Baran), 78

response (Kligman), 82

Pediatric Dermatology, VIth Postgraduate Seminar in (Hurwitz and Kahn), 119

Society for, Fifth Annual Meeting (Rasmussen et al), 337

Pemphigoid, bullous, and rheumatoid arthritis (Giannini et al), 695

Pemphigus (Thiers), 603

penicillamine-associated: is it really pemphigus (Troy et al), 547

vulgaris, esophagitis dissecans superficialis associated with (Kaplan et al), 682

and plasma exchange: clinical and serologic studies (Swanson and Dahl), 325

Penicillamine-associated pemphigus: is it really pemphigus? (Troy et al), 547

-induced skin lesions, ultrastructure of (Hashimoto et al), 300

Perfume in paper products, contact dermatitis to (Guin), 733 (Correspondence)

Perifolliculitis of scalp, dissecting, squamous cell carcinoma arising in (Curry et al), 673

Peroxide, benzoyl; percutaneous penetration and metabolic disposition (Nacht et al), 31

Phenylketonurics with dermatitis, studies of (Fisch et al), 284

Photochemotherapy, effect of, on cardiovascular system (Chappe et al), 561

hazards of therapy (Thiers), 496

of psoriasis; risk: benefit ratios (Bickers), 90 (Editorial)

(PUVA) in treatment of psoriasis (Cram), 10

Photosensitivity reaction, dacarbazine-induced (Yung et al), 541

Phytosterolemia and type IIa hyperlipoproteinemia with tuberous xanthoma (Matsuo et al), 47

Pigment cell antibodies, serologic studies for; prevalence of vitiligo and poliosis in patients with uveitis (Nordlund et al), 529

Pigmentation, cutaneous, minocycline and; hazards of therapy (Thiers), 498

Pillsbury, Donald Marion (1902-1980), 630 (Contemporaries)

(Sulzberger), 612 (Correspondence)

Pityriasis rosea (Hudson et al), 544

rubra pilaris; topical chemotherapy with 5-FU (Goette), 633

and vitamin A; therapeutic briefs (Thiers), 371

Plaque(s) and papules of pregnancy, pruritic urticarial (Ahmed and Kaplan), 679

type mycosis fungoides, erythrodermic and, PUVA treatment of (Abel et al), 423

Plasma exchange, pemphigus vulgaris and; clinical and serologic studies (Swanson and Dahl), 325

testosterone levels, menstrual cycle and, in women with acne (Steinberger et al), 54

Platelet disorders; clinical evaluation of patient with bruising and bleeding (Taylor and Blatt), 357

Pleiotropy; principles of genetics as applied to dermatologic diseases (Goldsmith), 263

Poison ivy, poison oak, and poison sumac, recognizing (Guin et al), 99 (Special report)

Poliosis, vitiligo and, prevalence of, in patients with uveitis (Nordlund et al), 528

Politic, body (Eaglstein), 94 (Correspondence)

Polyarteritis nodosa, immunosuppressives, and corticosteroids; therapeutic briefs (Thiers), 369

Polymorphous light eruption (Birt), 610 (Correspondence)

Porokeratosis; topical chemotherapy with 5-FU (Goette), 633

Porphyria cutanea tarda complicating Wilson's disease (Chesney et al), 64
lupus erythematosus with (Tuffanelli), 131

Pregnancy, pruritic urticarial papules and plaques of (Ahmed and Kaplan), 679

Prenatal diagnosis and genetic counseling, principles of genetics as related to chromosome disorders and congenital malformations with reference to (Alper), 379

Prurigo: clinical review (Jorizzo et al), 723
nodularis and thalidomide; therapeutic briefs (Thiers), 250

Pruritic urticarial papules and plaques of pregnancy (Ahmed and Kaplan), 679

Pruritus, uremic, and charcoal; therapeutic briefs (Thiers), 252

Pseudomembranous (antibiotic-associated) colitis (Saco et al), 619

Psoriasis, atopic dermatitis, and epidermolysis bullosa discussed: some recent advances in HLA and skin diseases (Ozawa et al), 205

current advances in etiology and treatment (Cram), 1

long-term modified Goeckerman regimen for, using ultraviolet B light source in home (Jordan et al), 584

and low-strength anthralin; therapeutic briefs (Thiers), 251

photochemotherapy of; risk: benefit ratios (Bickers), 90 (Editorial)

pustular, lymphocyte kinetics in (Sauder et al), 458

therapeutic uses of topical vitamin A acid (Thomas and Doyle), 510

topical chemotherapy with 5-FU (Goette), 633

vulgaris, HLA in (Ozawa et al), 215

Purpuras, other nonthrombocytopenic; clinical evaluation of patient with bruising and bleeding (Taylor and Blatt), 360

PUVA-48 cooperative study, skin cancer in (Roenigk and Caro), 319

PUVA, tar, UVL, and cancer (Lynfield and O'Donohue), 612 (Correspondence)

toxic hepatitis after (Bjellerup et al), 481 (Correspondence)
reply (Pariser), 481 (Correspondence)

treatment of erythrodermic and plaque type mycosis fungoïdes (Abel et al), 423

Pyoderma gangrenosum treated with clofazimine (Kark et al), 152

Q

Quinacrine hydrochloride drug eruption (tropical lichenoid dermatitis) (Bauer), 239 (Special article)

R

Radiodermatitis; topical chemotherapy with 5-FU (Goette), 633

Reaction(s), adverse, reports for new laundry product, evaluation of (Weaver and Herrmann), 577

dacarbazine-induced photosensitivity (Yung et al), 541

to niacinamide (Zackheim et al), 736 (Correspondence)
reply (Bures), 737 (Correspondence)

Recertification and relicensure; consumer's viewpoint (Glasser), 73
physician's viewpoint (Derbyshire), 75
(Knox), 738 (Correspondence)
reply (Derbyshire), 738 (Correspondence)

"Red sweat" (Poh-Fitzpatrick), 481 (Correspondence)

Relicensure, recertification and; consumer's viewpoint (Glasser), 73
physician's viewpoint (Derbyshire), 75
(Knox), 738 (Correspondence)
reply (Derbyshire), 738 (Correspondence)

Residency positions in dermatology (Everett), 344 (Special article)

Retin-A; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 507

Retinoids in treatment of psoriasis (Cram), 8

Reviewers for volumes 3 and 4, 742

Rheumatoid arthritis and bullous pemphigoid (Giannini et al), 695

Rocky Mountain spotted fever, occurrence of eschars in (Walker et al), 571

Rosacea, tetracycline, and metronidazole; therapeutic briefs (Thiers), 369

S

Sarcopetes scabiei, survival of (Ong and Bhatia), 96 (Correspondence)

Scabies mite, Burrow Ink Test and (Woodley and Saurat), 715

Scalp, dissecting perifolliculitis of, squamous cell carcinoma arising in (Curry et al), 673

Sclerosis, tuberous, computerized axial tomography in early diagnosis of (Burkhart and El-Shaar), 59

Seizure disorders and mental retardation, hypomelanosis of Ito associated with high percentage of (Buzas et al), 195

Senile comedones; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 508

Sicca syndrome antigens, autoantibodies directed against, in neonatal lupus syndrome (Franco et al), 67

Skin cancer in PUVA-48 cooperative study (Roenigk and Caro), 319
disease(s), occupational: where are dermatologists? (Moshell), 729
(Editorial)
some recent advances in HLA and (Ozawa et al), 205

lesions, penicillamine-induced, ultrastructure of (Hashimoto et al), 300

mummified, histologic findings in (Chapel et al), 27

Soap, contact dermatitis from D & C Yellow 11 dye in (Jordan), 613
(Correspondence)

Spitz nevus (Ackerman), 609 (Correspondence)
lentigo maligna and, therapy of (Dawber and Wilkinson), 736
(Correspondence)

Sporotrichosis, bastomycoïd (Dolezal), 523

Squamous cell carcinoma, aggressive behavior of, in patient with preceding lymphocytic lymphoma (Turner and Callen), 446
arising in dissecting perifolliculitis of scalp (Curry et al), 673
in blacks with discoid lupus erythematosus (Presser and Taylor), 667

Sulzberger, Marion B., M.D., 500 (Contemporaries)

Sun protection factor; appraisal of efficacy and substantivity of new high-potency sunscreens (Kaidbey and Kligman), 568

Sunburn, severe, development of blue nevi after (Hendricks), 50

Sunscreens, new high-potency, appraisal of efficacy and substantivity of (Kaidbey and Kligman), 566

"Suntan" pills, quick, in Canada (Jackson), 233 (Correspondence)

Sweat, human eccrine, carcinoembryonic antigen present in (Penneys et al), 401

"red" (Poh-Fitzpatrick), 481 (Correspondence)

Syringoma, unilateral linear nevoidal (Yung et al), 412

T

Tactics (Anderson), 231 (Editorial)

Tar, ultraviolet light, PUVA, and cancer (Lynfield and O'Donohue), 612 (Correspondence)
in treatment of psoriasis (Cram), 6

Testosterone levels, plasma, menstrual cycle and, in women with acne (Steinberger et al), 54

Tetracycline, rosacea, and metronidazole; therapeutic briefs (Thiers), 369

Thalidomide, prurigo nodularis and; therapeutic briefs (Thiers), 250

Therapeutic briefs (Thiers), II, 249; III, 369

Therapy, hazards of (Thiers), 495

Tinea versicolor, propylene glycol for; therapeutic briefs (Thiers), 250

Tomography, computerized axial, in early diagnosis of tuberous sclerosis (Burkhart and El-Shaar), 59

Topical chemotherapy with 5-fluorouracil (Goette), 633

hydrocortisone, complications of (Guin), 417

vitamin A acid, therapeutic uses of (Thomas and Doyle), 505

Toxic hepatitis after PUVA (Bjellerup et al), 481 (Correspondence)
reply (Pariser), 481 (Correspondence)

Toxicodendrons (poison ivy, poison oak, and poison sumac), recognizing (Guin et al), 99 (Special report)

Toxic-shock syndrome (Weston and Todd), 478 (Editorial)

Transfusions, blood, new findings about human major histocompatibility complex applied to (Ozawa et al), 205

Tropical lichenoid dermatitis (quinacrine hydrochloride drug eruption) (Bauer), 239 (Special article)

Tuberous sclerosis, computerized axial tomography in early diagnosis of (Burkhart and El-Shaar), 59

xanthomas, phytosterolemia and type IIa hyperlipoproteinemia with (Matsuo et al), 47

Tumors, skin cancer in PUVA-48 cooperative study (Roenigk and Caro), 320

topical chemotherapy with 5-FU (Goette), 633

U

Ulcers, leg, cutaneous extramedullary hematopoiesis presenting as (Kuo), 592

Ultraviolet B light source in home, long-term modified Goeckerman regimen for psoriasis using (Jordan et al), 584

light, coal tar, and cancer (Muller et al), 234 (Correspondence)
in lupus erythematosus (Tuffanelli), 128

tar, PUVA, and cancer (Lynfield and O'Donohue), 612 (Correspondence)
in treatment of psoriasis (Cram), 6

source; appraisal of efficacy and substantivity of new high-potency sunscreens (Kaidbey and Kligman), 567

Urinary tract obstruction, acute, in dyskeratosis congenita (Olsen et al), 556

Urticaria; therapeutic briefs (Thiers), 370

Urticular pruritic papules and plaques of pregnancy (Ahmed and Kaplan), 679

Urticaria, prevalence of vitiligo and poliosis in patients with (Nordlund et al), 528

V

Valisone aerosol spray contraindicated in mucous membranes (Beckman), 233 (Correspondence)

Valisone aerosol spray (Beckman)—cont'd
reply (Brice et al), 233 (Correspondence)

Varicella lesions, vascular factors and localization of (Wilkin et al), 665

Vascular response in halo of recent halo nevus (Berman and Herszenson), 537

Vasculitis, hypocomplementemic, in lupus erythematosus (Tuffanelli), 131

Vellus hair cysts, eruptive (Lapins), 611 (Correspondence)
reply (Stiebler and Bergfeld), 611 (Correspondence)

Verrucous nevus, linear; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 508

Viral complement fixation test; pityriasis rosea (Hudson et al), 544

Virus(es) infection, disseminated cutaneous herpes simplex, unusual and fatal case of (Goldgeier et al), 176
in lupus erythematosus (Tuffanelli), 128

Vitamin A acid, topical, therapeutic uses of (Thomas and Doyle), 505

E as effective treatment for epidermolysis bullosa (Ayres and Mihan), 482 (Correspondence)
reply (Wilson), 482 (Correspondence)

Vitiligo and poliosis, prevalence of, in patients with uveitis (Nordlund et al), 528

Vulgaris, pemphigus, and plasma exchange; clinical and serologic studies (Swanson and Dahl), 325

W

Warts, plantar; therapeutic uses of topical vitamin A acid (Thomas and Doyle), 508

therapeutic briefs (Thiers), 249

Westwood Conference on Clinical Dermatology, Fifth Annual Conference (Thiers and Dobson), 487

Wilson's disease, porphyria cutanea tarda complicating (Chesney et al), 64

X

Xanthoma(s) disseminatum (Kumakiri et al), 291

tuberous, phytosterolemia and type IIa hyperlipoproteinemia with (Matsuo et al), 47

Xeroderma pigmentosum; topical chemotherapy with 5-FU (Goette), 633

X-ray questionnaire (Blank), 236 (Correspondence)

Z

Zosteriform lentiginous nevus, speckled (Simões), 236 (Correspondence)

